



Zinc ANODE K6-5

gross weight: 48,00 kg
nett weight: 45,70 kg




Technical specification ZnAlCd - alloy type Z1 according to EN12496:2013 :

Alloying elements:		Impurities:	
Al [%]:	0,10 - 0,50	Fe [%]:	max 0,005
Cd [%]:	0,025 - 0,07	Cu [%]:	max 0,005
Zn [%]:	remainder	Pb [%]:	max 0,006

Electrochemical efficiency min: 780 Ah/kg
according to DNV RP B401 test appendix B

Note:

- All weights and dimensions are nominal.
- Dimensions in mm

 MAKROMOR CATHODIC PROTECTION		MAKROMOR SP. Z O.O. ul. Golebia 15 81-185 GdYNIA, POLAND		Scale:	1:5
		Phone: +48 58 661-57-99 Fax: +48 58 661-01-89 e-mail: biuro@makromor.pl website: www.makromor.pl		Insert type:	S235JR
Type: ZINC HULL ANODE K6-5		Alloy: ZnAlCd		Alternative type:	
Product code: Z480/K6/150/60/800/880/0		Drawing No.:		ZK65/0	
Drawer: Ewa Nawrocka	Date: 08-04-2019	Approved: Grzegorz Pylowski	Date: 08-04-2019		
Copyright MAKROMOR SP. Z O.O. All rights reserved.					